



POWER SUPPLY MODULE (CPSM)

Compatible with CONNEX 3D™ Flexible Meter

The Power Supply Module for the CONNEX 3D™ Flexible Meter supplies a highly efficient regulator which generates the power conversion with lower heat dissipation that traditional power supplies. Conversion from standard AC 120/240 VAC power to 12 or 24 VDC power is DIN rail mount for integral CONNEX 3D™ monitor and field instrument DC power requirements.


FEATURES & BENEFITS

- Highly efficient regulator
- Lower heat dissipation
- Choose from AC or DC Power Supply

- DIN Rail mount for easy accessability
- 5 Year Warranty

HOW CONNEX 3DTM WORKS

The CONNEX 3D™ Flexible Process Meter is a revolutionary concept in the process instrumentation market. It is flexible, versatile and adaptable due to the variety of modules that connect to eachother. Think of the modules like Legos®, pick and choose from a wide variety of options that plug into your CONNEX 3D to create a unique system to fit your exact needs.



ORDERING INFORMATION

FLO-CORP MODEL NUMBER BUILDER

For Assistance Call **877.356.5463**

Example: CPSM-IM Power Supply Module for CONNEX 3D™ Flexible Process Meter with AC Input

CPSM
CPSM(1)

POWER SUPPLY MODULE

IM) AC Input
NI) DC Input

DRDERING NOTES

(1) Compatible with the CONNEX 3D™ Flexible Process Meter

CONNEX 3DTM Flexible Process Meter Pick and choose from a wide variety of modules to create the best fit

Select > Connect > Monitor

The CONNEX 3D™ is a revolutionary concept in the process instrumentation market. It is flexible, versatile and adaptable due to the variety of modules that connect to eachother. Think of the modules like Legos®, pick and choose from a wide variety of options that plug into your CONNEX 3D to create a unique system to fit your exact needs.



digital display module (CDDM)

